
Provided for non-commercial research and education use. Not for reproduction, distribution or commercial use.



This article appeared in a journal published by Elsevier. The attached copy is furnished to the author for internal non-commercial research and education use, including for instruction at the authors institution and sharing with colleagues.

Other uses, including reproduction and distribution, or selling or licensing copies, or posting to personal, institutional or third party websites are prohibited.

In most cases authors are permitted to post their version of the article (e.g. in Word or Tex form) to their personal website or institutional repository. Authors requiring further information regarding Elsevier's archiving and manuscript policies are encouraged to visit:

http://www.elsevier.com/copyright

Journal of Controlled Release 134 (2009) 1

Contents lists available at ScienceDirect



Journal of Controlled Release

journal homepage: www.elsevier.com/locate/jconrel



## cover Story Lectin-immobilized nanospheres for GI tumor targeting

Colorectal cancer, which is one of the major causes of mortality and morbidity, is usually treated by surgical resection. Just like any other cancers, early detection of colorectal cancer is critical for successful treatment. Colonoscopy has been effectively used for screening colorectal cancer with its ability to provide a definitive diagnosis. The cancer present in the mucous membrane is often treated by resection. Alternatively, the cancer can be treated by minimally invasive operation, known as endoscopic mucosal resection. While the colonoscopy procedure is critically important, it has a major limitation. It can only detect tumor tissues that are larger than 1 cm in size, which has a relatively high possibility of metastasis. Although magnifying endoscopy has contributed to the detection of small-sized colorectal cancer, accurate differentiation of neoplastic mucosal changes in real-time remains a significant challenge. Thus, there is a great need for developing an endoscopic imaging agent that can provide early detection of small-sized colorectal cancer which has low risk of metastasis.

In an article in this issue [1], Sakuma et al. developed lectinimmobilized fluorescent nanospheres for detecting human colorectal cancer cells. Colorectal cancer first develops in the mucous membrane of the large intestine. They noted this mechanism to design an imaging agent that could recognize tumor-derived changes on the mucosal side of the cells in the large intestine. The agent is composed of submicronsized fluorescent polystyrene nanospheres with two functional groups, peanut agglutinin (PNA) and poly(N-vinylacetamide) (PNVA), on their surfaces. The Thomsen-Friedenreich (TF) antigen is specifically expressed on the mucosal side of colorectal cancer cells. In normal cells, the terminal sugar of the TF antigen is masked by oligosaccharide side chain extension or by sialylation. PNA was immobilized on the nanosphere surface as a targeting moiety that binds to the TF antigen with high affinity and specificity through recognition of the terminal sugar, β-D-galactosyl-(1-3)-N-acetyl-D-galactosamine. The tumorderived change in the large intestinal mucosa, however, is very small throughout the whole large intestine. To detect such a small change accurately, the imaging agent should have strong affinity for target cancer tissues with minimum nonspecific interactions with normal tissues. PNVA, which is highly hydrophilic and nonionic, was also immobilized on the nanosphere surface to enhance the specificity of PNA by reducing the nonspecific interactions between the imaging agent and normal tissues. *In vitro* studies demonstrated that the imaging agent bound to the TF antigen-expressing cancer cells with high affinity and specificity. *In vivo* studies further indicated that the imaging agent recognized the mucosal invasion of human colorectal tumors implanted orthotopically in the large intestinal serosa of nude mice.

It is anticipated that intracolonic (enema) administration of an imaging agent leads to specific accumulation on the surface of tumor tissues in the large intestine. Real-time accurate diagnosis of smallsized colorectal cancer can be achieved through observation of a clear fluorescence contrast between the normal and tumor tissues under the standard florescent endoscope. The study by Sakuma et al. has clearly shown that grafting of a lectin on nanospheres results in specific binding of an imaging agent to tumor cells. This particular study can be easily extended to the targeted delivery of an anticancer agent, increasing the possibility of developing the next generation medicine that achieves therapeutics and diagnosis (theragnosis) by the same delivery vehicle.

## Reference

[1] S. Sakuma, T. Yano, Y. Masaoka, M. Kataoka, K. Hiwatari, H. Tachikawa, Y. Shoji, R. Kimura, H. Ma, Z. Yang, L. Tang, R.M. Hoffman, S. Yamashita, *In vitro/in vivo* biorecognition of lectin-immobilized fluorescent nanospheres for human colorectal cancer cells, J. Control. Release 134 (2009) 2–10, doi:10.1016/j.jconrel.2008.10.017.

Kinam Park Purdue University, Departments of Biomedical Engineering and Pharmaceutics, Indiana, USA E-mail address: kpark@purdue.edu.